


High Energy Collider: Science & Status



Manqi RUAN(IHEP, Beijing)

26/8/24

Earth Neutrino@Tsinghua



1



What's the world made of ?


How does the world work?

~ 3000 years ago




...20th to 21st century


...1913...



...2012...



The SM of particle physics: predicts lots of new particles, and found them in the experiments




- Discoveries (Nobel Price in Physics)
 - 2015, 2013
 - 2002
 - 1995, 1990
 - 1988, 1984, 1980
 - 1976
 - 1969
 - 1959, 1951, 1950
- Instrumentations
 - 1992
 - 1968, 1960
 - 1958
 - 1948

FOUR FUNDAMENTAL FORCES


GRAVITATION




ELECTRO-
MAGNETISM



WEAK
INTERACTION







STRONG
INTERACTION



How does the world work


Earth Neutrino@Tsinghua

The electromagnetic interaction





Earth Neutrino@Tsinghua

The strong interaction




The weak interaction




Earth Neutrino@Tsinghua

The gravitational interaction




Earth Neutrino@Tsinghua

The SM of particle physics: unifies the strong, the weak, and the electromagnetic interactions




- Relevant Nobel prices (theoretical)
 - 2008
 - 2004
 - 1999
 - 1979
 - 1965
 - 1957
 - 1949

The SM: predicts and interprets almost all the experimental data at accelerator experiments




Standard Model Production Cross Section Measurements

Status: March 2019




Earth Neutrino@Tsinghua


The SM: describes the fundamental interactions that governs the evolution of universe: from 0.1 ns after Big Bang until now



Wikipedia, Pablo





The challenges to the SM: Neutrino mass & Oscillation




Earth Neutrino@Tsinghua

The challenges to the SM: mass hierachy

- Electrons mass $\sim 1E-5$ * Top quark mass
- Neutrino mass $\sim 1E-15$ * top quark mass!
- Are their mass generated with the same mechanics?




In particle physics units...




If a neutrino was as heavy as an ant...


The challenges to the SM: what's the origin of matter?



The challenges to the SM: the stability of universe





The challenges to the SM: the stability of universe





Earth Neutrino@Tsinghua

The challenges to the SM: dark matter, dark energy



The challenges to the SM: Inflation in the early universe



The challenges to the SM


- Inflation
- Mass hierarchy
- Neutrino Mass
- Matter-Anti matter asymmetry
- Stability of the Universe: depends on the Particle Mass
- Dark Matter: nature & origin of mass...
- Dark Energy, Inflation: nature...

The challenges to the SM

- Inflation
- Mass hierarchy
- Neutrino Mass
- Matter-Anti matter asymmetry
- Stability of the Universe: depends on the Particle Mass
- Dark Matter: nature & origin of mass...
- Dark Energy, Inflation: nature...

The Higgs field, heart of the SM

Gauge interactions




Higgs interactions

The Higgs field, origin of mass – associated with most of the Challenges to the SM

- Higgs interactions: beyond the gauge interactions
- Determines the mass of the SM particles,
 - The mass of electron – size of the atom
 - The mass of W & Z boson – strength of the weak interaction
 - The mass of up & down quark – stability of the proton
 - The mass of top & Higgs – stability of the universe
- Couples to the matter & anti-matter in a slightly different manner -> origin of matter
- *Could well be the origin of dark matter mass, and could be also highly relevant to the dark energy & inflations*

Particle Physics & Collider






• Discoveries (Nobel Price in Physics)

- 2015, 2013
- 2002
- 1995, 1990
- 1988, 1984, 1980
- 1976
- 1969
- 1959, 1951, 1950

• Instrumentations

- 1992
- 1968, 1960
- 1958
- 1948




• Relevant Nobel prices (theoretical)

- 2008
- 2004
- 1999
- 1979
- 1965
- 1957
- 1949

A brief introduction to CEPC



- CEPC: an e^+e^- Higgs factory producing H and W/ Z bosons and top quarks aims at discovering new physics beyond the Standard Model
 - CEPC + SppC complex proposed in 2012 right after the Higgs discovery
 - Conceptual Design Report delivered in Nov. 2018, 1st for circular ee Higgs factory
 - R&D reaching maturity, accelerator TDR published at 2023, high-impact innovations
- Proposed to commence the construction in ~2026 to deliver Higgs data in 2030s



Earth Neutrino@Tsinghua

Scientific **objectives**, significance, and strategic value

- We have a very successful Standard Model
- **But we still have a lot of issues and questions:**
 - Anything fundamentals behind the flavor symmetry ?
 - Mass hierarchy of elementary particles normal ?
 - Fine tuning of Higgs mass natural ?
 - Why a meta-stable vacuum ?
 - What are dark matter particles ?
 - No CP in the SM to explain Matter-antimatter asymmetry
 - Dirac or Majorana Neutrino mass ?
 - Unification of interactions at a high energy ?
- **We are at a turning point:**
 - a new, much deeper theory ?
 - Choices of experimental approaches ?
 - e^+e^- , pp, ep, $\mu^+\mu^-$ or no machine ?



- “Small cost” to look for hints. If yes, go for direct searches

$$\mathcal{L} = \mathcal{L}_{SM} + \sum_i \frac{c_i}{M^2} \mathcal{O}_{6,i} \quad \delta \sim c_i \frac{v^2}{M^2}$$

No signal at LHC:

Direct searches: $M \sim 1 \text{ TeV}$

10% precision: $M \sim 1 \text{ TeV}$




Look for signals at CEPC/FCC-ee:

Precisions exceed HL-LHC ~ 1 order of magnitude (1% precision) $\rightarrow M \sim 10 \text{ TeV}$

Naturalness will be at $\sim 10^{-4}$ up to 10 TeV
If no New Physics up to 10 TeV, there will be no naturalness \rightarrow even bigger discovery ?

Pressing science questions, best addressed by an e^+e^- Higgs factory ($\sim 1\%$ precision)

Scientific objectives, significance, and strategic value



Precision Higgs physics at the CEPC*

Fenfen An(安芬芬)^{4,23} Yu Bai(白玥)⁹ Chunhui Chen(陈春晖)²³ Xin Chen(陈新)⁵ Zhenxing Chen(陈振兴)⁴
 Joao Guimaraes da Costa⁸ Zhenwei Cui(崔振威)²³ Yaquan Fang(方亚强)^{4,6,24,43} Chengdong Fu(付成栋)⁴
 Jun Gao(高俊)¹⁰ Yanyan Gao(高艳彦)²³ Yuanning Gao(高原宁)²² Shaofeng Ge(葛韶锋)^{15,29}
 Jiayin Guo(顾嘉荫)^{15,25} Fangyi Guo(郭方毅)^{1,4} Jun Guo(郭军)¹⁰ Tao Han(韩涛)³¹ Shuang Han(韩爽)⁴
 Hongjian He(何红建)^{1,10} Xianke He(何显坤)¹⁰ Xiaogang He(何小刚)^{11,10,30} Jifeng Hu(胡继峰)¹⁰
 Shih-Chieh Hsu(徐士杰)¹² Shan Jiu(金山)¹ Maoqiang Jing(荆茂强)^{4,7} Susmita Jyotishankar³¹ Ryuta Kinuchi⁴
 Chia-Ming Kuo(郭家铭)²¹ Peizhu Lai(赖培筑)²¹ Boyang Li(李博扬)³ Congqiao Li(李聪乔)³ Gang Li(李刚)^{13,43}
 Haifeng Li(李海峰)¹² Liang Li(李亮)¹⁰ Shi Li(李数)^{1,10} Tong Li(李通)¹² Qiang Li(李强)³ Hao Liang(梁浩)^{4,8}
 Zhijun Liang(梁志均)⁴ Libo Liao(廖立波)^{4,23} Bo Liu(刘波)^{4,23} Jianbei Liu(刘建北)¹ Tao Liu(刘涛)¹⁴
 Zhen Liu(刘真)^{16,30,40} Xinchou Lou(娄辛丑)^{4,9,31,34} Lianliang Ma(马连良)¹² Bruce Mellado^{1,18} Xin Mo(莫欣)⁴
 Mila Pandurovic¹⁴ Jianming Qian(钱剑明)^{34,35} Zhuoni Qian(钱卓妮)¹⁰ Nikolaos Rompotis²²
 Manqi Ruan(阮曼奇)^{4,6} Alex Schuy²² Lianyou Shan(单连友)⁴ Jingyuan Shi(史静远)³ Xin Shi(史欣)⁴
 Shufang Su(苏淑芳)²³ Dayong Wang(王大勇)³ Jun Wang(王锦)³ Liantao Wang(王连涛)^{27,29}
 Yifang Wang(王贻芳)^{4,6} Yujian Wei(魏翊)⁴ Yue Xu(许悦)⁴ Haijun Yang(杨海军)^{10,11} Ying Yang(杨迎)⁴
 Weinong Yao(姚为民)³ Dan Yu(于丹)⁴ Kaiji Zhang(张凯捷)^{4,6} Zhaoru Zhang(张照茹)⁴
 Maoyu Zhao(赵茂宇)² Yanchu Zhao(赵彦瑜)⁴ Ning Zhao(赵宁)¹⁰

CEPC Higgs White Paper

* University of Chinese Academy of Science (UCAS), Beijing 100049, China
² School of Nuclear Science and Technology, University of South China, Hengyang 421001, China
³ Department of Physics, Nanjing University, Nanjing 210093, China
⁴ Department of Physics, Southeast University, Nanjing 210096, China
⁵ School of Physics and Astronomy, Shanghai Jiao Tong University, SCLPAC-M&E, SKLPPC, Shanghai 200240, China
⁶ Tsing-Dao Lee Institute, Shanghai 200240, China
⁷ Institute of Frontier and Interdisciplinary Science and Center for Experimental Particle Physics, Shandong University

+ $o(100)$ journal/arXiv papers


Received 9 November 2018, Revised 21 January 2019, Published online 4 March 2019
 * Supported by the National Key Program for S&T Research and Development (2016YFA0400400), CAS Center for Excellence in Particle Physics, Yifang Wang's Science Studio of the Ten Thousand Talents Project, the CAS-SAFEA International Postdoctoral Program for Creative Research Teams (1731501855), JIEP Innovation Grant (Y45417072), Key Research Program of Frontier Sciences, CAS (SQZDY-SSW-SLJ002), Chinese Academy of Science Special Grant for Large Scientific Project (131111KY5B2010003), the National Natural Science Foundation of China (1671302), the Hundred Talents Program of Chinese Academy of Science (Y31354001), the National 1000 Talents Program of China, Fermi Research Alliance, LHC (DE-AC02-07CH11359), the NSFC (911630079), by the Max Planck Center for Fundamental Physics (MCFP), Tsinghua University Initiative Scientific Research Program, and the Beijing Municipal Science and Technology Commission

Table 2.1: Precision of the main parameters of interests and observables at the CEPC, from Ref. [1] and the references therein, where the results of Higgs are estimated with a data sample of 20 ab^{-1} . The HL-LHC projections of 3000 fb^{-1} data are used for comparison. [2]

Higgs			W, Z and top		
Observable	HL-LHC projections	CEPC precision	Observable	Current precision	CEPC precision
M_H	20 MeV	3 MeV	M_W	9 MeV	0.5 MeV
Γ_H	20%	1.7%	Γ_W	49 MeV	2 MeV
$\sigma(ZH)$	4.2%	0.26%	M_{top}	760 MeV	$\mathcal{O}(10)$ MeV
$B(H \rightarrow bb)$	4.4%	0.14%	M_Z	2.1 MeV	0.1 MeV
$B(H \rightarrow cc)$	-	2.0%	Γ_Z	2.3 MeV	0.025 MeV
$B(H \rightarrow gg)$	-	0.81%	R_b	3×10^{-3}	2×10^{-4}
$B(H \rightarrow WW^*)$	2.8%	0.53%	R_c	1.7×10^{-2}	1×10^{-3}
$B(H \rightarrow ZZ^*)$	2.9%	4.2%	R_μ	2×10^{-3}	1×10^{-4}
$B(H \rightarrow \tau^+\tau^-)$	2.9%	0.42%	R_τ	1.7×10^{-2}	1×10^{-4}
$B(H \rightarrow \gamma\gamma)$	2.6%	3.0%	A_μ	1.5×10^{-2}	3.5×10^{-5}
$B(H \rightarrow \mu^+\mu^-)$	8.2%	6.4%	A_τ	4.3×10^{-3}	7×10^{-5}
$B(H \rightarrow Z\gamma)$	20%	8.5%	A_b	2×10^{-2}	2×10^{-4}
$B_{\text{upper}}(H \rightarrow \text{inv.})$	2.5%	0.07%	N_ν	2.5×10^{-3}	2×10^{-4}

Scientific Significance quantified by CEPC physics studies, via full simulation/phenomenology studies:

- Higgs: Precisions exceed HL-LHC ~ 1 order of magnitude.
- EW: Precision improved from current limit by 1-2 orders.
- Flavor Physics, sensitive to NP of 10 TeV or even higher.
- Sensitive to varies of NP signal.
- ...



Scientific objectives, **significance**, and **strategic value**




Figure 2.1: Covered energy scales of new physics from CPEC and HL-LHC, based on measurements of operators in the framework of the Standard Model Effective Field Theory (SMEFT). [1]

CEPC targets a major breakthrough in basic research, will greatly expand our understanding of the world.

Scientific objectives, **significance**, and **strategic value**

The scientific importance and strategical value of an electron positron Higgs factory is clearly identified.

clear consensus in HEP community

2013, 2016: *the CEPC is the best approach* and a major historical opportunity for the national development of accelerator-based high-energy physics program.

An electron-positron Higgs factory is the highest-priority next collider. For the longer term, the European particle physics community has the ambition to operate a proton-proton collider at the highest achievable energy. Accomplishing these compelling goals will require innovation and cutting-edge technology:

In April 2022, the International Committee for Future Accelerators (ICFA) “reconfirmed the international consensus on the importance of **a Higgs factory as the highest priority for realizing the scientific goals of particle physics**”, and expressed support for the above-mentioned Higgs factory proposals. Recently, the United States also proposed a new linear collider concept based on the cool copper collider (C3) technology [31].



Pathways to Innovation and Discovery in Particle Physics

Report of the Particle Physics Project Prioritization Panel 2023





The panel would consider the following:

1. The level and nature of **US contribution in a specific Higgs factory** including an evaluation of the associated schedule, budget, and risks once crucial information becomes available.
2. Mid- and large-scale **test and demonstrator facilities** in the accelerator and collider R&D portfolios.
3. A plan for the evolution of the **Fermilab accelerator complex** consistent with the longterm vision in this report, which may commence construction in the event of a more favorable budget situation.




International competition & Comparative advantages



- Electron-positron Higgs factories identified as top priority for future collider (ESPPU).
- CEPC has strong advantages among mature electron-positron Higgs factories (design report delivered),
 - **Earlier data:** collision expected in 2030s (vs. FCC-ee ~ 2040s), **larger tunnel cross section** (ee, pp coexistence)
 - **Higher precision** vs. linear colliders with more Higgs & Z; potential for **proton collider upgrade**.
 - **Lower cost** vs. FCC-ee, ~1/2 the construction cost with similar luminosity up to 240 GeV.
- CEPC is well recognized in particle physics world, as a major choice for the future flagship facility.

Key scientific and technological issues (route)




Operation mode	Z	W	Higgs
Center-of-mass energy (GeV)	91	160	240
Operation time (year)	2	1	10
Instantaneous luminosity/IP ($10^{34} \text{cm}^{-2} \text{s}^{-1}$)	115	16.0	5.0
Integrated luminosity (ab^{-1} , 2 IPs)	60	3.6	12
Event yield (30 MW)	2.5×10^{12}	1.0×10^8	2.5×10^6
Event yield (50 MW)	4.0×10^{12}	1.6×10^8	4.0×10^6

Design of experimental facility and technical requirements

- **Circular collider:** Higher luminosity than a linear collider
- **100km circumference:** Optimum total cost, good also for SppC
- **Shared tunnel:** Accommodate CEPC booster & collider and SppC
- **Switchable operation:** Higgs, W/Z, top


Cost optimization vs.. circumference



D. Wang et al 2022 JINST 17 P10018

Main Parameters: High luminosity as a Higgs Factory

	Higgs	W	Z	ttbar
Number of IPs	2			
Circumference [km]	100.0			
SR power per beam [MW]	50			
Energy [GeV]	120	80	45.5	180
Bunch number	415	2161	19918	59
Emittance (ϵ_x/ϵ_y) [nm/pm]	0.64/1.3	0.87/1.7	0.27/1.4	1.4/4.7
Beam size at IP (σ_x/σ_y) [$\mu\text{m}/\text{nm}$]	15/36	13/42	6/35	39/113
Bunch length (SR/total) [mm]	2.3/3.9	2.5/4.9	2.5/8.7	2.2/2.9
Beam-beam parameters (ξ_x/ξ_y)	0.015/0.11	0.012/0.113	0.004/0.127	0.071/0.1
RF frequency [MHz]	650			
Luminosity per IP [$10^{34}/\text{cm}^2/\text{s}$]	8.3	27	192	0.83




Earth Neutrino@Tsinghua


Status and maturities of the CEPC technologies

State-of-the-art: Key Components


650MHz SRF cavity




High efficiency klystron



Weak field dipole




100km Acc. Alignment & Installation R&D




Control Point

Backbone Network

Tunnel Control Network



Acc. Unit Pre-alignment



Multi Functional Alignment Instrument

Efficient alignment scheme + instrumentation R&D to guarantee the installation within 4 years

Design of experimental facility and technical requirements

Key Technology

Status

- High efficiency klystron
- High Q SRF cavity
- Novel magnet
- PWFA injector
- HTS high field magnet

- Current eff. > 70%, aim at 80%
- Exceeds CEPC requirement
- CEPC requirement met
- Design positron acceleration scheme, > 10GeV beam
- HTS with IBS


world leading technical performance

Selected Leading Technologies


Table 5.3: Status of key technology R&D for CEPC, in comparison with the status quo of world leading accelerator laboratories

Device	Requirement	IHEP status	CERN status	FNAL status	KEK status	LBNL status
1.3 GHz SRF cavity	Q=3 × 10 ¹⁰ @24 MV/m	Q=4.3 × 10 ¹⁰ @31 MV/m	Preliminary progress	Comparable to IHEP	Comparable to IHEP	N/A
650 MHz 2-cell SRF cavity	Q=4 × 10 ¹⁰ @22 MV/m	Q=6 × 10 ¹⁰ @22 MV/m	N/A	Comparable to IHEP	N/A	N/A
High-efficiency klystron	Efficiency ≥ 80%	Efficiency ≈ 70%	R&D on Efficiency ≈ 80%	N/A	Efficiency ≈ 60%	N/A
High-field superconducting magnet	20-24 T	12.5 T achieved next goal is 16 T	14-16 T	14.5 T	10 T	14-16 T

PWFA as an alternative Linac injection




Fast development of IBS material



Earth Neutrino@Tsinghua

Status and maturities of the CEPC technologies



✓ Specification Met

☑ Prototype Manufactured

Accelerator	Cost (billion CNY)	Ratio
✓ Magnets	4.47	27.3%
✓ Vacuum	3.00	18.3%
☑ RF power source	1.50	9.1%
✓ Mechanics	1.24	7.6%
✓ Magnet power supplies	1.14	7.0%
✓ SCRF	1.16	7.1%
✓ Cryogenics	1.06	6.5%
✓ Linac and sources	0.91	5.5%
✓ Instrumentation	0.87	5.3%
☑ Control	0.39	2.4%
☑ Survey and alignment	0.40	2.4%
✓ Radiation protection	0.17	1.0%
☑ SC magnets	0.07	0.4%
✓ Damping ring	0.04	0.2%

Table 5.1: Summary of key technologies under R&D essential for CEPC

Device	Accelerator	Quantity	CEPC specification	R&D status
1.3 GHz SRF cavity (9-cell)	Booster	96	$Q=3 \times 10^{10}$ @ 24 MV/m	Specification met
650 MHz SRF cavity (2-cell)	Collider	240	$Q = 4 \times 10^{10}$ @22 MV/m	Specification met
650 MHz klystron	Collider	120	Efficiency: 80% Power: 800 kW	Prototype manufactured
C-band NC accelerating tube	Linac	292	Gradient: 45 MV/m	Prototype manufactured
S-band bunch compressor	Linac	35	Peak power gain: 7 dB	Prototype manufactured
Positron source flux concentrator	Linac	1	Central peak magnetic field >6 T	Specification met
Dual-aperture dipole magnet	Collider	2384	Field: 140 Gs-560 Gs aperture: 70 mm length: 28.7 m; harmonic <math> < 5 \times 10^{-4}</math> relative field difference <math> < 0.5\%</math>	Specification met
Dual-aperture quadrupole magnet	Collider	2392	Gradient: 3.2-12.8 T/m length: 2 m; harmonic <math> < 5 \times 10^{-4}</math> aperture: 76 mm relative field difference <math> < 0.5\%</math>	Specification met
Weak field dipole	Booster	16320	Field error $\leq 10^{-3}$ @60 Gs	Specification met
Electrostatic separator	Collider	32	Electric field: 2.0 MV/m field uniformity: 5×10^{-4} good field region: 46 mm*11 mm	Specification met by prototype
Cryogenic refrigerator	Collider/ Booster	4	18 kW @ 4.5 K	Collaboration with IPC CAS, a refrigerator system of 2.5 kW @ 4.5 K has been developed
Ceramic vacuum chamber and coating	Transport lines	~ 20	75 × 56 × 5 × 1200mm	Prototype in production
MDI SCQ	Collider	8	Gradient: 136T/m; length: 2m Aperture: 40mm; included angle: 33mrad	Prototype in manufacture
Visual instrument	All	11	Image accuracy: 5 μm+(5 μm/m) horizontal angle: 1.8 arc-second vertical angle: 2.2 arc-second	Prototype completed

Table 5.2: Summary of key technologies in engineering applications essential for CEPC

Device type	Accelerator	Quantity	CEPC specifications
S-band copper accelerating tube	Linac	111	~30 MV/m
vacuum chamber and coating	Collider/ Booster	Total length 200 km	Length: 6 m aperture: 56 mm vacuum: 3×10^{-10} Torr NEG coating pump speed for H_2 : 0.5 L/s·cm ²
BPM and electronics	All	~5000	Closed orbit resolution: 0.6 μm
kicker & fast pulser	Transport line	~25	Pulse width <math> < 10</math> ns (strip-line) trapezoidal pulse width <math> < 250</math> ns (slotted-pipe)
Lambertson septum	Transport line	~20	Septum thickness ≤ 3.5 mm (in-air) thickness ≤ 2 mm (in-vacuum)
Power supply	All	9294	Stability 100-1000 ppm
RF-shielded bellows	Collider Booster	24000 /12000	Contact force 125±25 g/finger




Figure 12.3: Cost breakdown of the CEPC accelerator technical systems.

Earth Neutrino@Tsinghua

Upgrade capability and added values

SR power per beam upgrade to **50 MW**: High Luminosity ($8E34$ @ 240 GeV)

The **center-of-mass energy** can increase to **360 GeV**: top quark data

Add a **super proton-proton collider** (SppC) with c.m.s >100 TeV

Expandability: High energy & high flux synchrotron light source provides gamma-ray energy up to 300 MeV, critical for multi-disciplinary science

Boost the developments of multiple technologies:

Fast electronics, mechanics, vacuum, beam diagnostics, RF acceleration, cryogenic system, novel magnets, high-accuracy power supplies, control systems, big data, automation and intelligence, etc

- Upgradable scenarios: compatibilities included in design and construction
- Upgrades in several highly valuable ways, bring up discovery power, lifetime spans > 5 decades
- **Significant spillover effects on multidisciplinary sciences and applications**

Status and maturities of the CEPC technologies


- **Extensive detector R&D benefitted from experience**
 - Silicon strip : Experience from ATLAS upgrade
 - MDI, Drift chamber & SC magnet : Experience from BESIII
- **CEPC R&D on key technologies**
 - Silicon pixel, silicon tracker and TPC
 - PFA calorimeter

- **With international partners, all sub-detector covered**
 - PFA calorimeter: with CALICE Collaboration
 - TPC: with LCTPC Collaboration
 - Drift cham: with Italian colleague
 - Silicon tracker: with UK/Germany/Italian colleague
 - Silicon vertex: with French/Spain colleague

Prototypes under evaluation



Sub-detector	Specification	Requirement	World-class level	CEPC prototype
Pixel detector	Spatial resolution	$\sim 3 \mu\text{m}$	$3 - 5 \mu\text{m}$ [12, 13]	$3 - 5 \mu\text{m}$ [14-16]
TPC/drift chamber	dE/dx (dN/dx) resolution	$\sim 2\%$	$\sim 4\%$ [17, 18]	$\sim 4\%$ [19-21]
Scintillator-W ECal	Energy resolution Granularity	$< 15\%/\sqrt{E(\text{GeV})}$ $\sim 2 \times 2 \text{ cm}^2$	12.5% [22]	Prototype built to be measured $0.5 \times 0.5 \text{ cm}^2$
PFA calorimeter 4D crystal ECal	EM energy resolution 3D Granularity	$\sim 3\%/\sqrt{E(\text{GeV})}$ $\sim 2 \times 2 \times 2 \text{ cm}^3$	$2\%/\sqrt{E(\text{GeV})}$ [23, 24] N/A	Prototyping [25] $\sim 3\%/\sqrt{E(\text{GeV})}$ $\sim 2 \times 2 \times 2 \text{ cm}^3$
Scintillator-Steel HCal	Support PFA, Single hadron σ_E^{had}	$< 60\%/\sqrt{E(\text{GeV})}$	$57.6/\sqrt{E(\text{GeV})}\%$ [26]	Prototyping
Scintillating glass HCal	Support PFA Single hadron σ_E^{had}	$\sim 40\%/\sqrt{E(\text{GeV})}$	N/A	Prototyping $\sim 40\%/\sqrt{E(\text{GeV})}$
Low-mass Solenoid magnet	Magnet field strength Thickness	2 T – 3 T $< 150 \text{ mm}$	1 T – 4 T [27-29] $> 270 \text{ mm}$	Prototyping

Vertex detector R & D (3- 5 μm reso.)



PFA scintillator-W ECAL

4D crystal ECAL




CEPC Major Milestones




CEPC Accelerator TDR Review
June 12-16, 2023, Hong Kong



CEPC Accelerator TDR Cost Review
Sept. 11-15, 2023, Hong Kong



Domestic Civil Engineering
Cost Review, June 26, 2023, IHEP



9th CEPC IAC 2023 Meeting
Oct. 30-31, 2023, IHEP

**CEPC Accelerator TDR
released in December, 2023**

IHEP-CEPC-DR-2023-01

IHEP-AC-2023-01

CEPC

Technical Design Report

Accelerator

arXiv:2312.14363
1114 authors
278 institutes
(159 foreign institutes)
38 countries

The CEPC Study Group
December 2023


Earth Neutrino@Tsinghua



**Distribution of CEPC Project TDR
cost of 36.4B RMB (~4.7B Euro)**

Table 12.1.2: CEPC project cost breakdown, (Unit: 100,000,000 yuan)

	364	100%
Total	364	100%
Project management	3	0.8%
Accelerator	190	52%
Conventional facilities	101	28%
Gamma-ray beam lines	3	0.8%
Experiments	40	11%
Contingency (8%)	27	7.4%



Core team, the host institution and **the existing support**


Industrial engagement



- CIPC, established in 2017, composed of ~ 70 high tech. enterprises, covers Superconducting materials, Superconducting cavities, cryomodules, cryogenics, Klystrons, electronics, power source, vacuum, civil engineering, etc. CIPC actively joins the Key technology R&D and **prepares for the mass production** for the CEPC construction.
- CEPC study group is **surveying main international suppliers**.
- CEPC strongly promote these relevant technology development (cost-benefit).

Earth Neutrino@Tsinghua

Budgets for R&D and construction, and the **timeline**



CEPC Major Milestones

CEPC-SPPC Kickoff (2013.9)



First CEPC IAC Meeting (2015.9)



CEPC CDR Released (2018.11)



Earth Neutrino@Tsinghua

Public release: November 2018

Two covers of the CEPC Conceptual Design Report. The left cover is for Volume I - Accelerator, with arXiv: 1809.00285, released August 2018. The right cover is for Volume II - Physics & Detector, with arXiv: 1811.10545, released October 2018. A red box highlights the statistics: 1143 authors, 222 institutes (140 foreign), and 24 countries. The editorial team consists of 43 people from 22 institutions in 5 countries.

IHEP-CEPC-DR-2018-01
IHEP-AC-2018-01

CEPC
Conceptual Design Report
Volume I - Accelerator
arXiv: [1809.00285](https://arxiv.org/abs/1809.00285)
The CEPC Study Group
August 2018


IHEP-CEPC-DR-2018-02
IHEP-EP-2018-01
IHEP-TM-2018-01

CEPC
Conceptual Design Report
Volume II - Physics & Detector
arXiv: [1811.10545](https://arxiv.org/abs/1811.10545)
The CEPC Study Group
October 2018

1143 authors
222 institutes (140 foreign)
24 countries

Editorial Team: 43 people / 22 institutions / 5 countries

...Peter Higgs...



Earth Neutrino@Tsinghua

Summary

Particle Physics

- Tremendous successful. Be summarized into the SM
- Lots of puzzles including origin of matter, mass, dark matter, etc... while a Higgs factory could be the best approach for our future exploration.

CEPC, an electro positron Higgs factory

- will address most pressing & critical science problems
- adds enormous strategic values; has many advantages; will be in a leading position if realized.
- design-technologies reaching maturity, offers great upgrade options and many added values and benefits
- will position China to be a leading position in particle physics and contribute to the world in a major way.



Back up

Scientific objectives, significance, and **strategic value**

- CEPC, as a global high energy physics facility, will not only be a flagship of particle physics, but also of the global science. **It can promote China to a leading position in the international community of particle physics.**
 - **Science:** a major player in fundamental science & innovation, with significant contributions to the mankind
 - **Technology:** promote the technology not only for China, but also for the world
 - **International Cooperation:** host thousands of world-class talents for cooperative innovation, enhance the international cooperation, and may contribute to the World Peace.
 - **Education & Training:** train talents with international experience
 - **Economics:** cultivate high-tech enterprises; boost local economy with a science center

Design of experimental facility and technical requirements

GOAL

e+e- circular collider as a **high lumi.**
Higgs factory

Switchable operation for Higgs, W, Z
and Top runs


A **green machine** with a maximum
Luminosity

Design


- Complete acc. design w. latest ideas
- Lattice optimization for all energies
- Sufficient DA for all energies
- Beam-beam & collective instability

**workable 100km accelerator design
for all operation modes – completed**


Beam-beam effect study




Lattice for all energies



Dynamic Aperture (DA) optimization



Core team, the host institution and the existing support



- **Institution Board:** 32 institutes, top universities/institutes in China
- **Management team:** comprehensive management experience at construction projects of BEPCII/CSNS/HEPS, and international projects of BESIII/Daya Bay/JUNO/...
- **Accelerator team:** fully over all disciplines with rich experiences at BEPCII, HEPS...
- **Physics and Detector team:** fully over all disciplines with rich experiences at BESIII, Daya Bay, JUNO, ATLAS, CMS, ...

Table 7.2: Team of Leading and core scientists of the CEPC

Name	Brief introduction	Role in the CEPC team
Yifang Wang	Academician of the CAS, director of IHEP	The leader of CEPC, chair of the SC
Xinchou Lou	Professor of IHEP	Project manager, member of the SC
Yuanming Gao	Academician of the CAS, head of physics school of PKU	Chair of the IB, member of the SC
Jie Gao	Professor of IHEP	Convener of accelerator group, vice chair of the IB, member of the SC
Haijun Yang	Professor of SJTU	Deputy project manager, member of the SC
Jianbei Liu	Professor of USTC	Convener of detector group, member of the SC
Hongbin He	Professor of USTC	Convener of detector group, member of the SC
Shan Jin	Professor of SJTU	Member of the SC
Nu Xu	Professor of IHEP	Member of the SC
Meng Wang	Professor of IHEP	Member of the SC
Qinghong Cao	Professor of PKU	Member of the SC
Wei Lu	Professor of THU	Member of the SC
Joao Carneiro	Professor of IHEP	Convener of detector group
Jianchun Wang	Professor of IHEP	Convener of detector group
Yuhui Li	Professor of IHEP	Convener of accelerator group
Chenghui Yu	Professor of IHEP	Convener of accelerator group
Jingyu Tang	Professor of IHEP	Convener of accelerator group
Xiaogang He	Professor of SJTU	Convener of theory group
Jianping Ma	Professor of ITP	Convener of theory group

Table 7.3: Team of the CEPC accelerator system

Number	Sub-system	Convener	Team (senior staff)
1	Accelerator physics	Chenghui Yu, Yuan Zhang	18
2	Magnets	Wen Kang, Fusan Chen	12
3	Cryogenic system	Rui Ge, Ruixiong Han	11
4	SC RF system	Jiyuan Zhai, Peng Sha	12
5	Beam Instrumentation	Yanfeng Sui, Junhui Yue	7
6	SC magnets	Qingjin Xu	10
7	Power supply	Baojun Wang, Junhui Chen	7
8	Injection & extraction	Jinhui Chen	7
9	Mechanical system	Jiali Wang, Lan Dong	9
10	Vacuum system	Haiyi Dong, Tongsheng Ma	5
11	Control system	Ge lei, Gang Li	6
12	Linac injector	Jingyi Li, Jingru Zhang	13
13	Radiation protection	Zhongjian Ma	3
Sum			117



Table 7.4: Team of the CEPC detector system

Number	Sub-system	Conveners	Institutions	Team (senior staff)
1	Pixel Vertex Detector	Zhijun Liang, Qun Ouyang, Xiangming Sun, Wei Wei	CCNU, IFAE, IHEP, NJU, NWPW, SDU, Strasbourg, ...	~ 40
2	Silicon Tracker	Harald Fox, Meng Wang, Hongbo Zhu	IHEP, INFN, KIT, Lancaster, Oxford, Queen Mary, RAL, SDU, Tsinghua, Bristol, Edinburgh, Liverpool, USTC, Warwick, Sheffield, ZJU, ...	~ 60
3	Gaseous detector	Franco Bedeschi, Zhi Deng, Mingyi Dong, Huirong Qi	CEA-Saclay, DESY, LCTPC Collab., IHEP, INFN, NIKHEF, THU, USTC, ...	~ 30
4	Calorimetry	Yujun Chen	IHEP, ...	~ 10
5	Calorimetry	Roberto Ferrari, Jianbei Liu, Haijun Yang, Yang Liu	CALICE Collab., IHEP, INFN, SJTU, USTC, ...	~ 40
6	Calorimetry	Guo Ge, Geomeng, Lijiang, Xiao Luo	INFN, IHEP, INFN, SJTU, ...	~ 20
7	Physics	Manqi Ruan, Yaquan Fang, Liantao Wang, Mingshui Chen	IHEP, FDU, SJTU, ...	~ 80
8	Software	Shengsen Sun, Weidong Li, Xingtuo Huang	IHEP, SDU, FDU, ...	~ 20
Sum				~ 300

Management team, world-class leading scientists
 117 accelerator + ~300 detector staffs currently, + ~400 from BEPC/BESIII/JUNO/HEPS...once CEPC approved

Core team, the host institution and the existing support

International Committees



Name	Affiliation	Country
Tatsuya Nakada	EPFL	Japan
Steinar Stapnes	CERN	Norway
Rohini Godbole	CHEP, Bangalore	India
Michelangelo Mangano	CERN	Switzerland
Michael Davier	LAL	France
Lucie Linssen	CERN	Holland
Luciano Maiani	U. Rome	San Marino
Joe Lykken	Fermilab	U.S.
Ian Shipsey	Oxford/DESY	U.K.
Hitoshi Murayama	IPMU/UC Berkeley	Japan
Geoffrey Taylor	U. Melbourne	Australia
Eugene Levichev	BINP	Russia
David Gross	UC Santa Barbara	U.S.
Brian Foster	Oxford	U.K.
Marcel Demarteau	ORNL	USA
Barry Barish	Caltech	USA
Maria Enrica Biagini	INFN Frascati	Italy
Yuan-Hann Chang	IPAS	Taiwan, China
Akira Yamamoto	KEK	Japan
Hongwei Zhao	Institute of Modern Physics, CAS	China
Andrew Cohen	University of Science and Technology	Hong Kong, China
Karl Jakobs	University of Freiburg/CERN	Germany
Beate Heinemann	DESY	Germany

International Accelerator Review Committee

- Phillip Bambade, LAL
- Marica Enrica Biagini (Chair), INFN
- Brian Foster, DESY/University of Hamburg & Oxford University
- In-Soo Ko, POSTECH
- Eugene Levichev, BINP
- Katsunobu Oide, CERN & KEK
- Anatolii Sidorin, JINR
- Steinar Stapnes, CERN
- Makoto Tobiyama, KEK
- Zhentang Zhao, SINAP
- Norihito Ohuchi, KEK
- Carlo Pagani, INFN-Milano

International Detector R&D Review Committee

- Jim Brau, USA, Oregon
- Valter Bonvicini, Italy, Trieste
- Ariella Cattai, CERN, CERN
- Cristinel Diaconu, France, Marseille
- Brian Foster, UK, Oxford
- Liang Han, China, USTC
- Dave Newbold, UK, RAL (chair)
- Andreas Schopper, CERN, CERN
- Abe Seiden, USA, UCSC
- Laurent Serin, France, LAL
- Steinar Stapnes, CERN, CERN
- Roberto Tenchini, Italy, INFN
- Ivan Villa Alvarez, Spain, Santader
- Hitoshi Yamamoto, Japan, Tohoku

IAC: global renowned scientists and top laboratory or project leaders who have ample experience in project **management**, **planning**, and **execution** of strategies, **operating since 2015**


IARC & IDRC: leading experts of this field, provide guide to the project director

Earth Neutrino@Tsinghua

Core team, the **host institution** and the existing support



- IHEP is one of the few institutions in the world that
 - has rich management experience and successfully constructed **many large scientific facilities**
 - has **a full coverage of all technical disciplines** for accelerators and detectors, in particular for the design and construction of circular e+e-collider (BEPCII) and the detector (BESIII)
 - has all needed infrastructure for the construction of large facilities
 - has successfully hosted international projects such as BESIII, Daya Bay, JUNO, LHAASO, etc.
- **CEPC is committed by IHEP and workplan endorsed by CAS**



Core team, the host institution and the existing support

International collaboration

CEPC attracts significant International participation

- Conceptual design report: **1143** authors from 221 institutes (including **140** International Institutes)
- More than 20 MoUs signed and executed
- Intensive collaboration on Physics studies
- Oversea scientists made substantial contributions to the R&D, especially the detector system
- CEPC International Workshop since 2014
- EU-US versions of CEPC WS: Next one at Marseille
- Annual working month at HKIAS (since 2015)



Earth Neutrino@Tsinghua

Core team, the host institution and the existing support

International influence

CEPC Input to the ESPP 2018 - Physics and Detector

CEPC Physics-Detector Study Group

Abstract

The Higgs boson, discovered in 2012 by the ATLAS and CMS Collaborations at the Large Hadron Collider (LHC), plays a central role in the Standard Model. Measuring its properties precisely will advance our understandings of some of the most important questions in particle physics, such as the naturalness of the electroweak scale and the nature of the electroweak phase transition. The Higgs boson could also be a window for exploring new physics, such as dark matter and its associated dark sector, heavy sterile neutrino, et al. The Circular Electron Positron Collider (CEPC), proposed by the Chinese High Energy community in 2012, is designed to run at a center-of-mass energy of 240 GeV as a Higgs factory. With about one million Higgs bosons produced, many of the major Higgs boson couplings can be measured with precisions about one order of magnitude better than those achievable at the High Luminosity-LHC. The CEPC is also designed to run at the Z-pole and the W pair production threshold, creating close to one trillion Z bosons and 100 million W bosons. It is complementary to the LHC and other high energy colliders. The CEPC also offers excellent opportunities for precision measurements of the electroweak parameters and the properties of the Higgs boson. The clean collision environment also makes the CEPC an ideal facility to perform precision OED measurements. Several detector concepts have been proposed for the CEPC. The CEPC is a major project in the Chinese High Energy Physics program. The CEPC International Advisory Committee (IAC). In TDR phase, CEPC optimization design with higher performance compared with CDR and the key technologies such as 650MHz high power and high efficiency klystron, high quality SRF accelerator technology, high precision magnets for booster and collider rings, vacuum system, MDI, etc. have been carried out, and the CEPC accelerator TDR will be completed at the end of 2018.

ESPPU input

arXiv: 1901.03170
1901.03169

Snowmass2021 White Paper AF3- CEPC CEPC Accelerator Study Group¹

1. Design Overview

1.1 Introduction and status

The discovery of the Higgs boson at CERN's Large Hadron Collider (LHC) in July 2012 raised new opportunities for large-scale accelerators. The Higgs boson is the heart of the Standard Model (SM), and is at the center of many biggest mysteries, such as the large hierarchy between the weak scale and the Planck scale, the nature of the electroweak phase transition, the original mass, the nature of dark matter, the stability of vacuum, etc. and many other related questions. Precise measurements of the properties of the Higgs boson serve as probes of the underlying fundamental physics principles of the SM and beyond. Due to the modest Higgs boson mass of 125 GeV, it is possible to produce it in the relatively clean environment of a circular electron-positron collider with high luminosity, new technologies, low cost, and reduced power consumption. In September 2012, Chinese scientists proposed a 240 GeV Circular Electron Positron Collider (CEPC), serving two large detectors for Higgs studies and other topics as shown in Fig. 1. The CEPC is a major project in the Chinese High Energy Physics program. The CEPC International Advisory Committee (IAC). In TDR phase, CEPC optimization design with higher performance compared with CDR and the key technologies such as 650MHz high power and high efficiency klystron, high quality SRF accelerator technology, high precision magnets for booster and collider rings, vacuum system, MDI, etc. have been carried out, and the CEPC accelerator TDR will be completed at the end of 2018.

¹ Correspondence: J. Guo, Institute of High Energy Physics, CAS, China
Email: guoj@ihep.ac.cn

Snowmass input

arXiv: 2203.09451
2205.08553



- CEPC provides critical input to ESPPU & Snowmass as a **major player**
- Team member actively participated International study(ESPPU and Snowmass committees) and Panel discussions

CEPC attracts intensive international collaboration, ensuring that the CEPC design and technology are among the most advanced in the world. once approved, CEPC is expected to be substantially supported by international community.

Status and maturities of the CEPC technologies

- CEPC received ~ 260 Million CNY from MOST, CAS, NSFC, etc for R&D
- Large amount of key technologies validated in other projects by IHEP: [BEPCII](#), [HEPS](#), ...

<p>CEPC R&D ~ 50% cost of acc. components</p>	<ul style="list-style-type: none"> ➤ High efficiency klystron ➤ 650MHz SRF cavities ➤ Key components to e+ source ➤ High performance Linac ➤ Electrostatic Deflector ➤ Cryogenic system 	<ul style="list-style-type: none"> ➤ Novel magnets: Weak field dipole, dual aperture magnets ➤ Extremely fast injection/extraction ➤ Vacuum chamber tech. ➤ Survey & Alignment for ultra large Acc. ➤ MDI
<p>BEPCII / HEPS ~ 40% cost of acc. components</p>	<ul style="list-style-type: none"> ➤ High precision magnet ➤ Stable magnet power source ➤ Vacuum chamber with NEG coating ➤ Instrumentation, Feedback system ➤ Traditional RF power source ➤ SRF cavities 	<ul style="list-style-type: none"> ➤ Electron Source, traditional Linac ➤ Survey & Alignment ➤ Ultra stable mechanics ➤ Radiation protection ➤ Cryogenic system ➤ MDI

~10% missing items consist of anticipated challenges in the machine integration, commissioning etc. and the corresponding international contribution

Design of experimental facility and technical requirements

Innovative Design	<ul style="list-style-type: none">➤ 100km Full/Partial Double Rings➤ Switchable operation for Higgs, W and Z➤ Flexible injection modes to satisfy different energies➤ World's 1st design of a high energy/flux gamma-ray synchrotron light
Technical Performance	<ul style="list-style-type: none">➤ High efficiency Klystron (aim at highest transfer efficiency)➤ High performance SRF cavities (state-of-the-art Q and gradient)➤ Novel magnets: Weak field dipole, dual aperture magnets (First Qualified Prototype)
Major Technology Breakthrough	<ul style="list-style-type: none">➤ Plasma wakefield acceleration for Injector(New Acceleration Principle)➤ High field superconducting magnet (Iron based HTS proposal)

Innovative designs and key technology R&D fulfill the challenging requirement.

Design of experimental facility and technical requirements

Detector


Requirements

boson mass resolution
(BMR $\sim 3\%$)




Challenges

- Support Particle flow with
- High granularity
- High precision



Novel detector design based on PFA calorimeter. Aim at improving BMR from 4% to 3%



Detector	Key parameter	World-class level	CEPC design
PFA based EM calorimeter	EM shower E resolution	$\sim 20\%/\sqrt{E}$	$< 3\%/\sqrt{E}$
PFA based Hadron calorimeter	Single hadron E resolution	$\sim 50\%/\sqrt{E}$	$\sim 40\%/\sqrt{E}$

Design of experimental facility and technical requirements

CEPC: innovative design & key technologies R&D at the leading position of international future colliders.

Conceptual Innovation



Upgradable Capability



State-of-the-art Tech.



Green & Cost Saving




Revolutionary Principle




Spillover



- 100km circular collider
- Partial/Full double ring
- Switchable energies H/W/Z
- One tunnel for booster/collider and SppC



- High efficiency Klystron
- SRF cavities
- Weak field dipole
- Dual aperture magnets
- PWFA Injector
- Iron based HTS Mag
- Innovative PFA Detector



Budgets for R&D and **construction**, and the timeline

Cost estimation of the CEPC (CDR)

Tier I	Tier II	Amount (100 M CNY)
Accelerator	Collider	99.2
	Booster	39.2
	Linac and sources	9.1
	Damping ring	0.44
	Common: Cryogenics	10.6
	Survey & alignment	4
	Radiation protection	1.7
Conventional facilities	-	102
Detectors	-	40
γ -ray beam lines	-	3
Project management (1%)	-	3
Contingency (15%)	-	46
Total	-	358

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	WBS Element Title	Type	Unit	Number	price (10,000 ¥)	Total Price (10,000 ¥)	WBS Element Desc				
TOTAL (accelerator)													1641673				
Accelerator Physics													1000				
Analytic and simulation studies																	
Code development																	
Computing hardware																	
Computing software																	
Publication																	
Collider (Ch 4) Collider ring													991757				
Superconducting RF System (Ch 4.3.1)													95200				
Cavity													650 MHz 2-cell niobium	one	240	180	
Cryomodule													2 K, for 6 cavities	one	40	200	
Input coupler													650 MHz, single window, va	one	240	40	
HOM coupler													coaxial, detachable	one	480	15	
HOM absorber													room temperature	one	80	40	
Tuner													and lever with piezo	one	240	160	
Vacuum, valve, cables, tooling, assembly, etc.													one	40	16800		
RF Power Source (Ch 4.3.2)													3000				
Klystron													650MHz/800kW	SET		36000	
PSM source													120KV/16A	SET		42000	
Circulator and dummy load													800kW		250	30000	
LLRF															25	3000	
Waveguide													800kW		100	12000	
Magnets (Ch 4.3.3)													304986				
Dipoles																173192	
Dual aperture dipole													one	2384	69	164496	
Coils (main & trim)													m	28.7	0.1	2.87	Aluminum
Lamination													m	28.7	0.6	17.22	Steel - J23
Stainless steel													m	28.7	0.4	11.48	Support and structure
Lead													m	28.7	0.2	5.74	Radiation shielding
Other materials													m	28.7	0.1	2.87	Epoxy, paint, etc.
Accessories													set	1	0.72	0.72	Water cooling, temperature meth, electric connectors, etc.
Toolings													one	1	1.2	1.2	Winding former, casting mould, punching die, stacking tooling, etc.
Machining & assembly													one	1	15	15	
Inspection & test													one	1	0.1	0.1	
Package & delivery													one	1	0.5	0.5	
Overhead													one	1	1.5	1.5	
Tax													one	1	7	7	

CDR Cost: ~1000 independent items added up

- Cost estimated with two independent methods, agrees at 10% level
- CEPC design relies on well studied, or mature tech. reducing uncertainties on Cost estimation
- Cost estimation for TDR phase is progress: **no major change**

Outline

Brief introduction to CEPC

Scientific objectives, significance, and strategic value

Key scientific and technological issues

Design of experimental facility and technical requirements

Upgrade capability and added values

Status and maturities of the CEPC technologies

Core team, the host institution and the existing support

Budgets for R&D and construction, and the timeline

Summary


Budgets for R&D and construction

Cost and benefit analysis

- CEPC **is priceless** in revealing potential discoveries & knowledge. CEPC may provide the **Higgs data** in 2030s, thus brings upon mankind a new era in the science exploration.
- The **current CEPC design is optimized**. The cost is reduced through innovative design & new tech. development.
- CEPC will host **thousands of users and operates for decades**. The investment per researcher per year is comparable, or even smaller than that of other facilities & other disciplines.
- CEPC has the upgradable capability and provides **strong boost to the technologies**, is a highland for global talent training & **cooperative innovations**. It could revolutionize multiple key-tech. that has huge potential for application.
- CEPC attracts significant **International collaboration**, enhance the international communication, contribute to the World Peace.
- The science city of CEPC could strongly **promote** local **economic**.


Scientific objective: Higgs field & Challenges to the SM

Gauge



Higgs

- Hierarchy: From neutrinos to the top mass, masses differs by 13 orders of magnitude
- Naturalness: Fine tuning of the Higgs mass
- Masses of Higgs and top quark: meta-stable of the vacuum
- Unification?
- Dark matter candidate?
- Not sufficient CP Violation for Matter & Antimatter asymmetry
- **Most issues related to Higgs**



Earth Neutrino@Tsinghua

CEPC Measurement Precision

Table 2.1: Precision of the main parameters of interests and observables at CEPC, from Ref. [1] and the references therein, where the results of Higgs are estimated with a data sample of 20 ab^{-1} . The HL-LHC projections of 3000 fb^{-1} data [2] are used for comparison

Higgs			W, Z, and top		
Observable	HL-LHC projections	CEPC precision	Observable	Current precision	CEPC precision
M_H	20 MeV	3 MeV	M_W	9 MeV	0.5 MeV
Γ_H	20%	1.7%	Γ_W	49 MeV	2 MeV
$\sigma(ZH)$	4.2%	0.26%	M_{top}	760 MeV	$\mathcal{O}(10)$ MeV
$B(H \rightarrow bb)$	4.4%	0.14%	M_Z	2.1 MeV	0.1 MeV
$B(H \rightarrow cc)$	-	2.0%	Γ_Z	2.3 MeV	0.025 MeV
$B(H \rightarrow gg)$	-	0.81%	R_b	3×10^{-3}	2×10^{-4}
$B(H \rightarrow WW^*)$	2.8%	0.53%	R_c	1.7×10^{-2}	1×10^{-3}
$B(H \rightarrow ZZ^*)$	2.9%	4.2%	R_μ	2×10^{-3}	1×10^{-4}
$B(H \rightarrow \tau^+\tau^-)$	2.9%	0.42%	R_τ	1.7×10^{-2}	1×10^{-4}
$B(H \rightarrow \gamma\gamma)$	2.6%	3.0%	A_μ	1.5×10^{-2}	3.5×10^{-5}
$B(H \rightarrow \mu^+\mu^-)$	8.2%	6.4%	A_τ	4.3×10^{-3}	7×10^{-5}
$B(H \rightarrow Z\gamma)$	20%	8.5%	A_b	2×10^{-2}	2×10^{-4}
$B_{\text{upper}}(H \rightarrow \text{inv.})$	2.5%	0.07%	N_ν	2.5×10^{-3}	2×10^{-4}

Accelerator	Cost (billion CNY)	Ratio	CEPC R&D	BEPCII /HEPS
Magnets	4.47	27.3%	20.0%	7.0%
Vacuum	3.00	18.3%	10.0%	8.0%
RF power source	1.50	9.1%	5.0%	2.0%
Mechanics	1.24	7.6%	N.A	6.6%
Magnet power supplies	1.14	7.0%	0.5%	6.5%
SCRF	1.16	7.1%	5.1%	2.0%
Cryogenics	1.06	6.5%	3.0%	2.5%
Linac and sources	0.91	5.5%	2.0%	2.5%
Instrumentation	0.87	5.3%	2.3%	3.0%
Control	0.39	2.4%	0.1%	0.5%
Survey and alignment	0.40	2.4%	1.4%	1.0%
Radiation protection	0.17	1.0%	0.1%	0.2%
SC magnets	0.07	0.4%	0.2%	0.1%
Damping ring	0.04	0.2%	N.A.	N.A.
Total			49.7%	41.9%